United States Department of the Interior National Park Service

# National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

See instructions in How to Complete National Register Forms

Type all entries—complete applicable sections

Type all entries	-complete applicable se	ctions		
1. Nam	e			•
historic Esch'	s Spur Bridge		:	
	. Esch's Spur Brid	lge		
2. Loca	ition.			
street & number	Three miles sou	th and three mile	s west of Dexter n	/a not for publication
city, town Dex	ter	<u>×</u> vicinity of		
state Kansas	code	20 county	Cowley	code 35
3. Clas	sification			
Category  district building(s) X structure site object	Ownership  X public private both  Public Acquisition In process being considered	Status	Present Useagriculturecommercialeducationalentertainmentgovernmentindustrialmilitary	museum park private residence religious scientific X transportation other:
4. Own	er of Proper	tv.		NOTE OF THE CONTRACTOR OF THE PROPERTY OF THE
	County  Cowley County Cou			
city, town Wi	nfield	vicinity of	state	Kansas
5. Loca	ation of Lega	I Descripti	on	
courthouse, regis	stry of deeds, etc. Regist	er of Deeds		
city, town Wir	ıfield	,	state	Kansas
6. Repi	resentation i	in Existing	Surveys	
Inventor	ry of Historic Bridge Dept. of Transportati	2S	operty been determined el	igible?yes <u>x</u> no
date 1980-8	•	,	federalX_ sta	te county local
depository for su	urvey records Kansas Sta	ate Historical Soc	iety	
city town	Topeka		state	Kansas

Condition excellent good fair	deteriorated ruins unexposed	Check one x unaltered altered	Check one  X original site  moved date	

Describe the present and original (if known) physical appearance

Description

The Esch's Spur bridge crosses Grouse Creek three miles south and three miles west of Dexter, Kansas. The triple span stone arch bridge has a total length of 182 feet and is 13 feet wide curb to curb. The deck lies 17 feet above the water level.

The stone arches spring from and are disposed between two abutments and stone piers. Stone spandrel walls retain the earthen fill and are capped with concrete. This concrete cap forms the roadway curbing. The spandrel walls do not extend above the crown of the elliptical arches and the roadway rests directly on the arch ring.

Mary Correct theorem is an experience of the state of the

## 8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 x 1900–	agriculture architecture art commerce communications	community planning conservation economics education x engineering exploration/settlement	politics/government	science sculpture social/ humanitarian theater
Specific dates		Builder/Architect Unknown		

Statement of Significance (in one paragraph)

The Esch's Spur bridge retains its integrity of location, design, setting, materials, feeling and association. It embodies the distinctive characteristics of a type and method of construction no longer being used namely the construction of a roadway supported by a stone arch which is loaded by an earthen fill, which, in turn, is retained by stone spandrel walls. This bridge may yield information important to the history of engineering.


The stone arch bridge was popular in Kansas because the stone and construction expertise was locally available. Although somewhat more expensive, initially, to construct they were very strong and long lived. Cowley county was blessed with exceptionally good building stone. The county commission, at the turn of the century, created a special bridge fund and began a concerted effort to bridge the numerous streams they had. This bridge is a result of that effort. The use of local stone and labor makes this bridge unique and particularly suited to its environment.

THIS STATEMENT REFLECTS CURRENT KNOWLEDGE AND IS SUBJECT TO CHANGE.


## 9. Major Bibliographical References

"To Bid on Stone Bridges," <u>Kansas City Star</u>, March 25, 1906
"Our Building Stone," <u>Dexter Advocate</u>, November 17, 1904.


		R 40 S NO.		<u>, ,                                  </u>		
		hical Da				
Acreage of no	minated proper	ty Less than	one acre		Quadran	gle scale 1:24,000
Quadrangle n UTM Referenc	ame <u>Eaton,</u> es	<u>Nausas</u>	•		Quadran	3.0
A [1,4] [6	9 <sub>1</sub> 7 1 <sub>1</sub> 0 <sub>1</sub> 0	4 <sub>1</sub> 1 1 <sub>1</sub> 1 9 <sub>1</sub> 9  Northing	10	B	l l l l l	Northing
с				D		
E			16 30 X	F 		
Varbal hasen	dow docarint	ion and justific	ation			35320
T	hat property		the bridge	is built in	cluding br	idge structure and
List all state	es and counti	es for propertie	s overlapping	state or coun	ity boundarie	· \$
state n	/a	code	e co	unty	1	code
state		code	e co	unty		code
4.4 50	nema Dra	epared I	Rw :			v
organization		State Histor:	ical Society	7 date		206 2072
street & numt	oer 120 We	st Tenth		telep	phone (913	3) 296–2973
city or town	Topeka		,	state	Kansas	
12. S	tate Hi	storic P	reserv	ation O	fficer	Certification
The evaluated	d significance o	f this property wi	thin the state is	•		
	national	_x_ state	lo	cal		
665). I hereby	nominate this	oric Preservation property for inclu procedures set fo	sion in the Nati	onal Register an	id certify that if	Act of 1966 (Public Law 89– ` t has been evaluated
State Historic	Preservation C	Officer signature				
title Execut	ive Directo	or, Kansas St	ate Histori	cal Society	date	3/4/85
For NPS	use only		uded in the Blati	onal Ponictor		
i nereb	y certify that the	s property is incl	uucu iii iile ivali	onai negistei		and the state of t
Keeper of	the National F	legister			uale Like Like Like Like Like Like Like Like	
Attest:					date	
Chief of F	Registration			i <u> </u>		




The following photographs were taken at Esch's Spur, Kansas by Larry Jochims and Michael Snell on January 28, 1985. Photograph negatives are located at the Kansas State Historical Society, Topeka, Kansas.



Grouse Creek Bridge. South Side Looking North.




Grouse Creek Bridge. West Approach Looking East.




Grouse Creek Bridge.
South Side of West Arch Looking Northwest.

The following photographs were taken at Esch's Spur by Larry Jochims and Michael Snell on January 28, 1985. Photograph negatives are located at the Kansas State Historical Society, Topeka, Kansas.



Grouse Creek Bridge. South Side Looking North West.



SITE NO./8-AE-2/

### KANSAS DEPARTMENT OF TRANSPORTATION

#### HISTORIC BRIDGE INVENTORY

County Cowley Struct	ural Type MAR Constructed 1900
Road System State	Planning Dept Designation
County Off-System	Secondary Rds Designation 8//
Location-Route <u>Fast edge of Fsc</u>	h's Spyr Mile Post
Feature Crossed <u>Ulik</u>	Legal Description SE14, NW/4 S-33 T 338 R 6 E
Bridge Number 88/. 50694.5 N Span identity and description	umber of spans 3
LENGTH-182' 10W	1DTH-131
Truss type:	
Historical Data: Date ConstructedErect	cor Contractor
Manufacturer	
Located in Historical District?	or near Historical Site?
Original Use	Present Use 0-26-81
	Date
	Good Fair Deteriorated Demolished
Field Observation Notes:	
Inventory Completed by	Date

